

L Number	Hits	Search Text	DB	Time stamp
1	6003	(valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)	USPAT; IBM_TDB	2004/06/26 11:34
2	3204	((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)	USPAT; IBM_TDB	2004/06/26 12:40
3	1793	((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1	USPAT; IBM_TDB	2004/06/26 11:32
4	244	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)	USPAT; IBM_TDB	2004/06/26 12:28
5	164	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)	USPAT; IBM_TDB	2004/06/26 12:28
6	156	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)	USPAT; IBM_TDB	2004/06/26 12:29
7	11266	(valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram)	USPAT; IBM_TDB	2004/06/26 12:40
8	139	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)) and ((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram))	USPAT; IBM_TDB	2004/06/26 11:36
9	95044	(encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1)	USPAT; IBM_TDB	2004/06/26 12:39
10	138	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)) and ((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram))) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))	USPAT; IBM_TDB	2004/06/26 11:40
11	260	key\$1 near2 (unknown un-known (no\$1 near known))	USPAT; IBM_TDB	2004/06/26 12:03

12	27	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)) and ((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram))) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (key\$1 near2 (unknown un-known (no\$1 near known)))	USPAT; IBM_TDB	2004/06/26 12:04
14	11	((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))	USPAT; IBM_TDB	2004/06/26 12:26
15	11	((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)	USPAT; IBM_TDB	2004/06/26 12:04
16	11	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and (public private common symmetric\$2)	USPAT; IBM_TDB	2004/06/26 12:05
17	11	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and (public private secret common symmetric\$2)	USPAT; IBM_TDB	2004/06/26 12:26
13	30	key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1)	USPAT; IBM_TDB	2004/06/26 12:42
20	12048	((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.	USPAT; IBM_TDB	2004/06/26 12:26
21	655	((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)	USPAT; IBM_TDB	2004/06/26 12:26
22	563	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)	USPAT; IBM_TDB	2004/06/26 12:26

23	411	(((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)	USPAT; IBM_TDB	2004/06/26 12:27
24	325	(((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))	USPAT; IBM_TDB	2004/06/26 12:28
27	103	(((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)	USPAT; IBM_TDB	2004/06/26 12:28
28	69	((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)) and (private\$ near key\$1)	USPAT; IBM_TDB	2004/06/26 12:29

29	66	(((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)	USPAT; IBM_TDB	2004/06/26 12:29
30	90823	(encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1)	USPAT; IBM_TDB	2004/06/26 12:42
31	5113	((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))	USPAT; IBM_TDB	2004/06/26 12:39
32	1409	((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)	USPAT; IBM_TDB	2004/06/26 12:40
33	54489	(decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1)	USPAT; IBM_TDB	2004/06/26 12:41
34	777	((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))	USPAT; IBM_TDB	2004/06/26 12:43
37	6976	(unspecifi\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1)	USPAT; IBM_TDB	2004/06/26 12:43
38	474	((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))) and ((unspecifi\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1))	USPAT; IBM_TDB	2004/06/26 12:45
39	108	(((((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))) and ((unspecifi\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1))) and ((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3))	USPAT; IBM_TDB	2004/06/26 12:45

40	77	((((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))) and ((unspecif\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1))) and ((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3))) not (((((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$))	USPAT; IBM_TDB	2004/06/26 12:46
41	76	((((((((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certif\$8 verif\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))) and ((unspecif\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1))) and ((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3))) not (((((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$))) not (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))	USPAT; IBM_TDB	2004/06/26 12:46

42	76	(((((((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram)) near3 (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((decrypt\$4 decod\$3 decipher\$6) near2 (content\$1 data information\$1 document\$1 file\$1))) and ((unspecifi\$4 hidden undisclos\$3 unknown un-known (no\$1 near known decrypt\$3 decipher\$3)) near2 (recipient\$1 key\$1 client\$1 user\$1))) and ((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3))) not ((((((((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (((713/200-201) or (713/161) or (713/165) or (713/168) or (713/171) or (709/200-201) or (709/203) or (709/206) or (709/223-225) or (709/229) or (711/164-165) or (380/228-229) or (380/232) or (380/277-278) or (380/282-283) or (380/285-286) or (380/28-30)).CCLS.)) and (public private secret common symmetric\$2)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$))) not (key\$1 near2 (unknown un-known (no\$1 near known)) near2 (recipient\$1 client\$1 user\$1))) not ((((((((((valid\$6 authenticat\$4 return\$3) near3 (receipt\$1 repl\$3)) and (encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6)) and key\$1) and (secret near key\$1)) and (private\$ near key\$1)) and (public near key\$)) and ((valid\$6 authenticat\$4 authentication\$1 authoriz\$6 authoris\$6 certifi\$8 verifi\$8) near3 (message\$1 packet\$1 datagram))) and ((encrypt\$4 encod\$3 encipher\$6 cipher\$4 decrypt\$4 decod\$3 decipher\$6) near2 (message\$1 content\$1 data information\$1 document\$1 file\$1))) and (key\$1 near2 (unknown un-known (no\$1 near known))))	USPAT; IBM_TDB	2004/06/26 12:47
----	----	--	-------------------	---------------------